

FICHE D'HOMOLOGATION HOMOLOGATION FORM

43/A/15



COMMISSION INTERNATIONALE DE KARTING - FIA



ALLUMAGE / IGNITION

Constructeur	Manufacturer	SELETTRA SRL
Marque	Make	SELETTRA
Modèle	Model	R10429
Catégorie	Category	KF3
Durée de l'homologation	Validity of the homologation	9 ans / 9 years
Nombre de pages	Number of pages	3

La présente Fiche d'Homologation reproduit descriptions, illustrations et dimensions de l'allumage au moment de l'homologation CIK-FIA. Le Constructeur a la possibilité de les modifier seulement dans les limites fixées par le règlement CIK-FIA en vigueur.

This Homologation Form reproduces descriptions, illustrations and dimensions of the ignition at the moment of the CIK-FIA homologation. The Manufacturer may modify them, but only within the limits fixed by the CIK-FIA regulations in force.




PHOTO de l'ensemble rotor, stator, bobine, boîtier électronique et cablage complet

PHOTO of the rotor, stator, coil, E.C.U. and wiring loom unit

Signature et tampon de l'ASN <i>Signature and stamp of the ASN</i>	Signature et tampon de la CIK-FIA <i>Signature and stamp of the CIK-FIA</i>

DESSIN : VUE DE FACE ET COUPE DU STATOR ET ROTOR

DRAWING: FRONT VIEW AND SECTION VIEW OF THE STATOR AND ROTOR




PHOTO DE LA BOBINE
PHOTO OF THE COIL





PHOTO DU BOITIER ELECTRONIQUE
PHOTO OF THE E.C.U.



DESCRIPTION DU SCHÉMA ÉLECTRIQUE
DESCRIPTION OF THE ELECTRICAL SKETCH



LISTE DES COMPOSANTS ÉLECTRONIQUES <i>LIST OF ELECTRONIC PARTS</i>	VALEUR DE RÉSISTANCE DES BOBINES <i>RESISTANCE VALUE OF THE COILS</i>	
1) E.c.u.		
2) Relè SSR	BOBINE GÉNÉRATRICE <i>GENERATOR COIL</i>	620 Ω
3) Key start or buttons		
4) Fusible holder with fusible plug		
5) Battery		
6) Stator and rotor (assembled with plate)	HAUTE TENSION SECONDAIRE <i>SECONDARY HIGH TENSION</i>	8,2 Kv
7) Starting engine		
8) High tension coil		

GRAPHIQUE DE LA COURBE D'AVANCE (pour KF3, KF2 et KF1)
GRAPH DIAGRAM FOR ADVANCE (for KF3, KF2 & KF1)

