

FICHE D'HOMOLOGATION

Homologation N°

44/A/18

HOMOLOGATION FORM



**COMMISSION INTERNATIONALE
DE KARTING - FIA**



ALLUMAGE / IGNITION

Constructeur	<i>Manufacturer</i>	PAROLIN RACING KART SRL
Marque	<i>Make</i>	FIM
Modèle	<i>Model</i>	IX1
Catégorie	<i>Category</i>	KF2
Durée de l'homologation	<i>Validity of the homologation</i>	9 ans / 9 years
Nombre de pages	<i>Number of pages</i>	3



La présente Fiche d'Homologation reproduit descriptions, illustrations et dimensions de l'allumage au moment de l'homologation CIK-FIA. Le Constructeur a la possibilité de les modifier seulement dans les limites fixées par le règlement CIK-FIA en vigueur.

This Homologation Form reproduces descriptions, illustrations and dimensions of the ignition at the moment of the CIK-FIA homologation. The Manufacturer may modify them, but only within the limits fixed by the CIK-FIA regulations in force.



PHOTO de l'ensemble rotor, stator, bobine, boîtier électronique et câblage complet

PHOTO of the rotor, stator, coil, E.C.U. and wiring loom unit

Signature et tampon de l'ASN	Signature et tampon de la CIK-FIA
<i>Signature and stamp of the ASN</i>	<i>Signature and stamp of the CIK-FIA</i>
 	 

DESSIN : VUE DE FACE ET COUPE DU STATOR ET ROTOR

DRAWING: FRONT VIEW AND SECTION VIEW OF THE STATOR AND ROTOR




PHOTO DE LA BOBINE

PHOTO OF THE COIL




PHOTO DU BOITIER ELECTRONIQUE

PHOTO OF THE E.C.U.



DESCRIPTION DU SCHÉMA ÉLECTRIQUE
DESCRIPTION OF THE ELECTRICAL SKETCH

Item	Description
1	Spark Plug
2	Spark Plug High Voltage Cable
3	High Voltage Coil
4	Central Unit (w/ Stator, Rotor and Assembling Plate)
5	Head Temperature measurement Unit Connector
6	Exhaust Temperature measurement Unit Connector
7	Motor Serial Number Reading Antenna
8	Clutch Bell Speed Sensor
9	Starter Motor
10	Engine Main Connector
11	Cabling
12	Battery Strain Relief
13	Battery Connections
14	Operator Unit (w/ Electronic Key Reader)
15	Display Unit Connector
16	Electronic Key



LISTE DES COMPOSANTS ÉLECTRONIQUES LIST OF ELECTRONIC PARTS	VALEUR DE RÉSISTANCE DES BOBINES RESISTANCE VALUE OF THE COILS	
Ignition coil w/ spark-plug connector		
Generator W/pick up CDI unit solid state relay	BOBINE GÉNÉRATRICE GENERATOR COIL	720 ohm +/- 20 %
Battery pack identification reader		
Starter button		
	HAUTE TENSION SECONDAIRE SECONDARY HIGH TENSION	5.4 kohm +/- 20%

GRAPHIQUE DE LA COURBE D'AVANCE (KF2)
GRAPH DIAGRAM FOR ADVANCE (KF2)

