## **BRP-ROTAX CHASSIS APPROVAL FORM**



| Manufacturer                  | CRG                                    |
|-------------------------------|--|
| Chassis model                 | DARK RIDER EVO 30/32                   |
| Category                      | ROTAX MAX Challenge, 125 MAX DD2 class |
| Validity of approval          | without limitation                     |
| Date of approval by BRP-ROTAX | 2011 05 02                             |

## Technical definiton of the frame Built according to CIK regualtions for short circuits karts

| Technical definition of the components of the chassis |   |  |
|---|---|--|
| Brake system:   | Designed according to CIK rules for shifter classes.                |  |
|   | A brake system with a valid CIK Homologation must be used.          |  |
| Bodywork:   | Designed according to CIK rules for short circuit karts.            |  |
|   | A bodywork with a valid CIK Homologation must be used.              |  |
| Rear Tire Protection System:                          | n: For the participation at national or internatioinal ROTAX MAX    |  |
|   | Challenge race, the ROTAX Rear Tire Protection System must be used. |  |







Foto from above of the frameFoto of the identification plate of the frame with the<br/>name of the chassis model.

| Technical description   | Dimensions | Tolerance  |
|---|------------|------------|
| Outer diameter of the main tubes (without painting)           | mm 30/32   | +/- 0,5 mm |
| Rear width of main tubes (center line to center line)         | mm 618     | +/- 5,0 mm |
| Distance of the rear two main tubes on the right side (center | mm 104     | +/- 0,5 mm |
| line to center line)  |            |            |
| Wheelbase   | mm 1050    | +/- 5,0 mm |

| Technical description                                    | Figure |
|--|--------|
| Number of adjustable/removeable stabilizers at the frame | 2      |

|   | <image/>   |
|---|--|
| Foto from above of the frame with the section of the engine mount | Foto from above of the frame with the section of the two supports for the exhaust system |



## **BRP-ROTAX CHASSIS APPROVAL FORM**

|  | <image/>   |
|--|--|
| Foto from the steering column with the section with the knurling for the steering wheel hub (knurling according to DIN 82 - RAA1). | Foto from above of the frame with the section of the<br>two supports for the RTPS<br>(Rear Tire Protection System) |
|  |  |
| Foto of the frame from the side with the section of the support for the RTPS (Rear Tire Protection System)                         | Foto of the frame from the back with the section of<br>the support for the RTPS<br>(Rear Tire Protection System)   |