
BRP-Powertrain CHASSIS APPROVAL FORM



Manufacturer	Gillard Racing Karts Ltd.
Chassis model	010B V2.32
Category	ROTAX MAX Challenge, 125 MAX DD2 class
Validity of approval	without limitation
Date of approval by BRP-Powertrain	2011 03 24

Technical definiton of the frame	
Built according to CIK regualtions for short circuits karts	

Technical definition of the components of the chassis			
Brake system:	Designed according to CIK rules for shifter classes.		
	A brake system with a valid CIK Homologation must be used.		
Bodywork:	Designed according to CIK rules for short circuit karts.		
	A bodywork with a valid CIK Homologation must be used.		
Rear Tire Protection System:	em: For the participation at national or internatioinal ROTAX MAX		
	Challenge race, the BRP-Powertrain Rear Tire Protection System must be used.		



Dimensions Technical description Outer diameter of the main tubes (without painting) 32 Rear width of main tubes (center line to center line) 606 Distance of the rear two main tubes on the right side 102 (center line to center line)

Technical description	Figure
Number of adjustable/removeable stabilizers at the frame	2

1050

Wheelbase

BRP-Powertrain CHASSIS APPROVAL FORM





Photo from above of the frame with the section of the engine mount

Photo from above of the frame with the section of the two supports for the exhaust system





Foto of the frame with the section of the support for the fuel pump (fuel pump mounted)

Foto of the frame from the side with the section of the supports for the radiator (radiator mounted)

BRP-Powertrain CHASSIS APPROVAL FORM





Photo from the steering column with the section with the knurling for the steering wheel hub (knurling according to DIN 82 - RAA1).

Photo from above of the frame with the section of the two supports for the RTPS (Rear Tire Protection System)





Photo of the frame from the side with the section of the support for the RTPS (Rear Tire Protection System)

Photo of the frame from the back with the section of the support for the RTPS (Rear Tire Protection System)