
BRP-Powertrain CHASSIS APPROVAL FORM



Manufacturer	OTK KART GROUP SRL
Chassis model	Tony Kart - RACER EVX
Category	ROTAX MAX Challenge, 125 MAX DD2 class
Validity of approval	without limitation
Date of approval by BRP-ROTAX	2007 03 08

Technical definiton of the frame		
Built according to CIK regualtions for short circuits karts		


Technical definition of the components of the chassis			
Brake system:	Designed according to CIK rules for shifter classes.		
	A brake system with a valid CIK Homologation must be used.		
Bodywork:	Designed according to CIK rules for short circuit karts.		
	A bodywork with a valid CIK Homologation must be used.		
Rear Tire Protection System:	: For the participation at national or internatioinal ROTAX MAX		
-	Challenge race, the ROTAX Rear Tire Protection System must be used.		




Technical description	Dimensions	Tolerance
Outer diameter of the main tubes (without painting)	30 mm	+/- 0,5 mm
Rear width of main tubes (center line to center line)	610 mm	+/- 5,0 mm
Distance of the rear two main tubes on the right side (center	92 mm	+/- 0,5 mm
line to center line)		
Wheelbase	1040mm	+/- 5,0 mm

Technical description	Figure
Number of adjustable/removeable stabilizers at the frame	1

BRP-Powertrain CHASSIS APPROVAL FORM





BRP-Powertrain CHASSIS APPROVAL FORM



